EXHIBIT

2003

Students

IMMUNIZATION CHART

Key concepts within the immunization guidelines are summarized below.

A. Minimum immunization requirements for school attendance.

New York State Immunization Requirements For School Entrance/Attendance

	Pre-Kindergarten* (Daycare, Nursery, or Pre K)	School (K - 12)
Diphtheria Toxoid Containing Vaccine (DTP, DtaP)** Polio	3 doses (New York City Schools * 4 doses) 3 OPV	3 doses (New York City Schools * 4 doses) 3 OPV
(IPV) (OPV)	or 4 IPV	or 4 IPV
Measles Mumps Rubella (MMR)	1 dose of Measles Mumps Rubella (MMR)	Born before 1985 * 1 dose of Measles, Mumps, Rubella (MMR) Born on or after 1985 * 2 doses of Measles containing vaccine and 1 dose each of Mumps and Rubella (preferably as MMR)
Hepatitis B ***	Born on or after 01/01/95 3 doses	 a. Born on or after 01/01/93 - 3 doses; b. 7th Graders entering school on or after 09/01/2000***
Haemophilus Influenzae Type b (Hib)	3 doses or 1 dose administered on or after 15 months of age	Not applicable
Varicella	Born on or after 01/01/2000 **** 1 dose	Born on or after 01/01/98 1 dose

Children in a Pre-Kindergarten setting need to be age appropriately immunized. The number of doses depends on the recommended schedule.

Adoption date: July 2003

^{**} DTaP is the currently recommended vaccine.

^{***} Hep B - 7th Graders - 3 doses of Recombivax HB, Engerix B or 2 doses of adult hepatitis B vaccine (Recombivax) for children 11 to 15 years old.

^{****} Varicella is not recommended until 1 year of age.